Available online at www.elixirpublishers.com (Elixir International Journal)

# **Advanced Mathematics**

Elixir Adv. Math. 113 (2017) 49385-49388



# A Study on North East Corner Method in Transportation Problem of Operation Research and Using of Object Oriented Programming Model

Dr.R. Palaniyappa

Department of Mathematics, IRT Polytechnic College, Chromepet, Chennai – 44, India.

### ARTICLE INFO

### Article history:

Received: 31 October 2017; Received in revised form: 20 December 2017;

Accepted: 30 December 2017;

## Keywords

Transportation problem, LPP. Optimal solution, North east corner rule, Object oriented programming.

#### **ABSTRACT**

In this paper, the North east corner [ NEM ] procedure is successfully coded and tested via many randomly generated problem instances. Based on the results we can conclude that the correctness of the newly coded NEM is promising as compared with the previously coded one. We select very big problem of Transportation problem using Object oriented programming in Java and develop a NEM in Java Flowchart, Algorithm, program. In this paper submitted in screen short.

© 2017 Elixir All rights reserved.

#### 1. Introduction

The term 'OR' was coined in 1940 by M. C. Closky & T.ref then in a small town of Bawdsey in England. It is a science that came into existence in a military content. During World War II, the military management of UK called an Scientists from various disciplines & organized them into teams to assist it in solving strategic & tactical problems relating to air & land defense of the country.

The transportation problem is a special class of LPP that deals with shipping a product from multiple origins to multiple destinations. The objective of the transportation problem is to find a feasible way of transporting the shipments to meet demand of each destination that minimizes the total transportation cost while satisfying the supply & demand constraints. The two basic steps of the transportation method are

Step 1: Determine the initial basic feasible solution

**Step 2**: Obtain the optimal solution using the solution obtained from step 1.

In this paper the corrected coding of NEM in Java is implemented. Then its correctness is verified via many randomly generated instances. The remainder of this paper is organized as follows:

Section II deals with the mathematical formulation of the transportation problem. In section III NEM is summarized. In section IV potential significance of the new object oriented program of VAM is illustrated with a numerical example.

Finally, conclusion by highlighting the limitations and future research scope on the topic is made in section V.

# 2. MATHEMATICALFORMULATION OF THE TRANSPORTATION PROBLEM

A. In developing the LP model of the transportation problem the following notations are used

- $a_i$  Amounts to be shipped from shipping origin i (ai $\geq 0$ ).
- $b_i$  Amounts to be received at destination j ( $b_i \ge 0$ ).
- $c_{ii}$  Shipping cost per unit from origin i to destination j ( $c_{ij} \ge 0$ ).
- $x_{ij}$  Amounts to be shipped from origin i to destination j to minimize the total cost (  $x_{ii} \ge 0$ ).

We assumed that the total amount shipped is equal to the total amount received, that is,

$$\sum_{i=1}^{m} a_i \ge \sum_{j=1}^{n} b_j$$
B. Transportation problem

$$\min \sum_{i=1}^m \sum_{j=1}^n c_{ij} x_{ij}$$

Subject to 
$$\sum_{j=1}^{n} \chi_{ij} \le a_i$$
,  $i = 1, 2, ..., m$ 

$$\sum_{i=1}^{m} x_{ij} \le b_j$$
,  $j = 1, 2, ..., n$ , where  $x_{ij} \ge 0 \forall i, j$ .

**Feasible solution :** A set of non negative values  $x_{ij}$ , i = 1, 2, ..., n and j = 1, 2, ..., m that satisfies the constraints is called a feasible solution to the transportation problem.

Optimal solution: A feasible solution is said to be optimal if it minimizes the total transportation cost .

Non degenerate basic feasible solution: A basic feasible solution to a  $(m \times n)$  transportation problem that contains exactly m + n - 1 allocations in independent positions.

E-mail address: shivaram2003@gmail.com

**Degenerate basic feasible solution:** A basic feasible solution that contains less that m + n - 1 non negative allocations.

**Balanced and Unbalanced Transportation problem:** A Transportation problem is said to be balanced if the total supply from all sources equals the total demand in the destinations otherwise called unbalanced Transportation problem.

Thus, for a balanced problem,  $\sum_{i=1}^m a_i = \sum_{j=1}^n b_j$  and for unbalanced problem,  $\sum_{i=1}^m a_i \neq \sum_{j=1}^n b_j$ 

### 3. NORTH EAST CORNER RULE

### **Procedure:**

### **North East Corner Method:**

- ▶ i) The method starts at the North East corner cell (route) of the tableau (Variable X1n).
- > Allocate as much as possible to the selected cell and adjust the associated amounts of supply and demand by subtracting the allocated amount.
- ➤ ii) Cross out the row or column with zero supply or demand to indicate that no further assignments can be made in the row or column. If both a row and a column net to zero simultaneously cross out one only and leave a zero supply (demand in the uncrossed out row or column).
- > If exactly one row or column is left uncrossed out or below if exactly one row or column is left uncrossed out, stop. Otherwise, move to the cell to the right if a column has just been crossed out or below if a row has been crossed out. Go to step (i).
- ➤ Start with X1n and end must be Xm1.

#### Problem:

The Metropolitan Transportation Corporation, Chennai, Tamil Nadu, India operates buses between Guduvancheri and CMBT from morning 6.00a.m to evening 10.00pm. The number of buses available and required between operating points are given in the tableau below. Determine the minimum number of buses to be operated between the points Guduvancheri and CMBT for the given bus numbers and routs.

Demand	114	M	144	M	170	170A	170K	170L	170P	170T	70	70G	70T	L18	supply
		70C	BT	170B											
Supply															
GUDUVANCHERY	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
URAPAKKAM	0	0	0	0	0	0	2	0	0	0	0	0	0	1	3
VANDALUR	23	0	0	0	0	5	2	2	0	9	0	0	2	1	44
PERUGALANTHUR	23	0	0	0	0	5	2	2	0	9	0	0	2	1	44
TAMBARAM	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
TAMBARAM	23	15	2	1	10	5	2	2	1	9	5	1	1	1	79
SANATPRIUM															
CHROMEPET	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
PALLAVARAM	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
TIRUSULAM	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
MEENAMBAKKAM	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
KATHIPARA	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
CIPET	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
JAFERKANPET	0	15	2	1	10	5	2	2	1	9	5	1	2	1	56
ASHOK PILLAR	0	15	2	1	10	5	2	2	1	9	5	1	2	1	56
VADAPALANI	0	15	2	1	10	5	2	2	1	9	5	1	2	1	56
CMDA	23	15	2	1	10	5	2	2	1	9	5	1	2	1	79
DEMAND	253	130	24	12	120	70	32	28	12	126	60	12	28	15	


Proof:-


The given problem balanced Transportation problem. Because Demand = supply. There exists a feasible solution. By using north east corner method in initial basic feasible solution.

Demand Supply	114	M 70C	144 BT	M 170B	170	170A	170K	170L	170P	170T	70	70G	70T	L18	supply
GUDUVANCHERY	0	0	0	0	0	0	2	0	0	0	0	0	0	0 (2)	2
URAPAKKAM	0	0	0	0	0	0	2	0	0	0	0	0	0	1(3)	3
VANDALUR	23	0	0	0	0	5	2	2	0	9	0	(6)0	2 (28)	1 (10)	44
PERUGALANTHUR	23	0	0	0	0	5	2	2	0	9	0 (38)	0 (6)	2	1	44
TAMBARAM	23	15	2	1	10	5	2	2	1	(57) 9	(22)5	1	2	1	79
TAMBARAM SANATPRIUM	23	15	2	1	10	5	2	2	1 (10)	(69)9	5	1	1	1	79
CHROMEPET	23	15	2	1	10	5 (17)	(32)2	(28)2	(2)1	9	5	1	2	1	79
PALLAVARAM	23	15	2	1	(26) 10	5 (53)	2	2	1	9	5	1	2	1	79
TIRUSULAM	23	15	2	1	(79) 10	5	2	2	1	9	5	1	2	1	79
MEENAMBAKKAM	23	15 (28)	(24)2	(12)1	(15) 10	5	2	2	1	9	5	1	2	1	79
KATHIPARA	23	(79) 15	2	1	10	5	2	2	1	9	5	1	2	1	79
CIPET	23 (6)	15 (73)	2	1	10	5	2	2	1	9	5	1	2	1	79
JAFERKANPET	0 (79)	15	2	1	10	5	2	2	1	9	5	1	2	1	56
ASHOK PILLAR	0 (56)	15	2	1	10	5	2	2	1	9	5	1	2	1	56
VADAPALANI	0 (56)	15	2	1	10	5	2	2	1	9	5	1	2	1	56
CMDA	23 (79)	15	2	1	10	5	2	2	1	9	5	1	2	1	79
DEMAND	253	130	24	12	120	70	32	28	12	126	60	12	28	15	972

The initial basic feasible solution is given as  $\begin{aligned} \text{Min z} &= 0x2 + 1x3 + 1x10 + 2x28 + 6x0 + 0x6 + 0x38 \\ &+ 9x57 + 5x22 + 10x1 + 69x9 + 5x17 + \\ &32x2 + 28x2 + 2x1 + 26x10 + 5x53 \\ &+ 79x10 + 2x24 + 1x12 + 15x10 + 15x28 \\ &79x15 + 23x6 + 15x73 + \\ &0x56 + 56x0 + 56x0 + 23x79 \end{aligned}$ 

= 7710 trips.





# 5. Conclusion:

The optimal solution obtained in this present investigation shows much more closeness with initial basic feasible solution obtained by North east corner rule. The comparison of optimal solution have been made with other methods of finding initial solutions and observe that North east corner method give the better initial feasible solutions which are closer to optimal solution. The object oriented programming using Java have been developed. This shows that the computed results tally with the results obtained Java programming. Object oriented program code for said programs is given for better understanding.

# References:

- [1]Reeb, J.E. and S.A., Leavengood, "Transportation problem: a special case for linear programming problems", EM8779. Corvallis: Oregon State University Extension Service, pp. 1-35, 2002.
- [2] Charnes, A. and W.W. Cooper, "The stepping stone method of explaining linear programming calculations in transportation problems", Management Science, **1**(1): pp. 49-69, 1954.
- [3] Dantzig, G.B., "Linear Programming and extensions", Princeton, NJ: Princeton University press, 1963.
- [4] Taha Hamdy A., "Operation Research: An introduction", Prentice-Hall of India, 8th edition. 2006.
- [5] Reinfeld, N.V and Vogel, W.R., "Mathematical Programming", Englewood Cliffs, New Jersey: prentice-Hall, pp. 59-70, 1958.
- [6]Nabendu Sen et al., "A study of transportation problem for an essential item of southern part of north eastern region of India as an OR model and use of object oriented programming", International Journal of Computer Science and Network Security, 10(4), pp. 78-86, 2010.
- [7] Saleem, Z.R. and Imad, Z.R., "Hybrid two-stage algorithm for solving transportation problem", Modern Applied Science, 6(4), pp. 12-22, 2012.
- [8]R. Palaniyappa and V. Vinoba, "A new type of transportation problem using object oriented model", International Journal of Mathematical Archive-4(11), 2013, 71-77
- [9]R. Palaniyappa and V. Vinoba "A Study of Unbalanced Transportation problem and use of object oriented programming" International Research Journal of pure Algebra -4(4),2014, 1-5, ISSN 2248-9037.
- [10]Dr. V. Vinoba and R. Palaniyappa, "A Study of Unbalanced Transportation problem and use of object oriented programming model (Java)" International research Journal of pure Algebra 4(6),2014, 1-4, ISSN 2248 9037.
- [11]Dr. V. Vinoba and R. Palaniyappa, A study on North East corner Method in transportation problem using object oriented programming (C++)" International Journal of mathematics trends and technology Volume 16, December 2014, ISSN 2231 5373.
- [12] Winston L.W.(2010): Transportation, Alignment and transshipment problem to accompany operation research "Applied and Algorithm", 4<sup>th</sup> edition.