22573

Available online at www.elixirpublishers.com (Elixir International Journal)

Applied Mathematics

Elixir Appl. Math. 68 (2014) 22573-22577

A New type of transportation problem using object oriented model R. Palaniyappa¹ and V. Vinoba²

¹Department of Mathematics, IRT Polytechnic College, Chromepet, Chennai – 44. ²Department of Mathematics, K.N.G.C. (W), Thanjavur – 7.

ARTICLE INFO

Article history: Received: 7 October 2013; Received in revised form: 22 February 2014; Accepted: 19 March 2014;

ABSTRACT

In this paper we introduce the new type of transportation problem called South east corner rule . We solve the transportation problem using OR approach in analysis ,design phases and we use the java programming language to model the problem. The results obtain from both solutions are compared to make analysis & prove the object oriented model correctness. We proved that the both results are identical & have the same results when solving the problem using the south east corner rule .

© 2014 Elixir All rights reserved

Keywords

Transportation problem, LPP. Optimal solution. South east corner rule, Object oriented programming.

Introduction

The term 'OR ' was coined in 1940 by M.C.Closky & T.ref then in a small town of Bawdsey in England. It is a science that came into existence in a military content. During world war II, the military management of UK called an Scientists from various disciplines & organized them into teams to assist it in solving strategic & tactical problems relating to air & land defence of the country .

The transportation problem is a special class of LPP that deals with shipping a product from multiple origins to multiple destinations. The objective of the transportation problem is to find a feasible way of transporting the shipments to meet demand of each destination that minimizes the total transportation cost while satisfying the supply & demand constraints. The two basic steps of the transportation method are Step 1 : Determine the initial basic feasible solution

Step 2 : Obtain the optimal solution using the solution obtained from step 1.

In this paper we introduce the new type of transportation problem called South east corner rule .I have presented that the proposed south east corner rule for finding optimal solution of a transportation problem do not reflect optimal solution continuously. Three examples are provided to my claim. Also by the North west corner rule process optimal solutions are showed to illustrate the comparison .

Mathematical statement of the transportation problem

A. In developing the LP model of the transportation problem the following notations are used

 a_i - Amounts to be shipped from shipping origin i ($a_i \ge 0$).

 b_i - Amounts to be received at destination j ($b_i \ge 0$).

 c_{ij} - Shipping cost per unit from origin i to destination j ($c_{ij} \ge 0$).

x_{ii} - Amounts to be shipped from origin i to destination j to minimize the total cost $(x_{ii} \ge 0)$.

We assumed that the total amount shipped is equal to the total amount received, that is,

 $\sum_{i=1}^m a_i \ge \sum_{j=1}^n b_j.$

Transportation problem

 $\begin{array}{l} \operatorname{Min} \sum_{i=1}^{m} \sum_{j=1}^{n} c_{ij} x_{ij} \ . \\ \operatorname{Subject} \ \operatorname{to} \sum_{j=1}^{n} x_{ij} \leq \operatorname{a}_{i} \ , \ i=1 \ , 2 \ , \ \ldots \ , \ m \end{array}$

 $\sum_{i=1}^{m} x_{ij} = b_j, j = 1, 2, ..., n$, where $x_{ij} \ge 0 \forall i, j$. **Feasible solution :** A set of non negative values x_{ii} , i = 1, 2, \dots , n and j = 1, 2, \dots , m that satisfies the constraints is called a feasible solution to the transportation problem.

Optimal solution : A feasible solution is said to be optimal if it minimizes the total transportation cost.

Non degenerate basic feasible solution : A basic feasible solution to a $(m \times n)$ transportation problem that contains exactly m + n - 1 allocations in independent positions .

Degenerate basic feasible solution : A basic feasible solution that contains less that m + n - 1 non negative allocations .

Balanced and Unbalanced Transportation problem : A Transportation problem is said to be balanced if the total supply from all sources equals the total demand in the destinations and is called unbalanced otherwise .

Thus , for a balanced problem , $\sum_{i=1}^m a_i = \sum_{j=1}^n b_j$ and for unbalanced problem, $\sum_{i=1}^{m} a_i \neq \sum_{j=1}^{n} b_j$.

South east corner rule

In this section, we introduce a new method called the south east corner rule for finding an optimal solution to a transportation problem . This method is similar to that of north west corner rule . The south east corner rule proceeds as follows.

This method starts at the south east corner cell (route) of the table variable (x_{43}) .

Step 1 : Construct the transportation table for the given TPP.

Step 2 : Allocate as much as possible to the selected cell and adjust the associated amounts of supply and demand by subtracting the allocated amount .

Step 3 : Cross out the row or column with zero supply or demand to indicate that no further assignments can be made in that row or column . I both a row and column net to zero simultaneously, cross out one only and leave a zero supply (demand in the uncrossed out row - column). Step 4 : If exactly one row or column is left uncrossed out , stop . Otherwise , move to the cell to the right if a column has just been crossed out . Go to step 2 [8].

Numerical examples :

Problem 3.1 : Obtain the IBFS of a Transportation problem whose cost & rim requirement table is given below

Solution :

By applying south east corner rule process allocations are obtained as follows :

Since $\sum a_i = \sum b_j$ there exists a feasible solution to the transportation problem.

We obtain initial feasible solution as follows :

The initial basic feasible solution is given by

 $\begin{aligned} x_{43} &= 14 \;, x_{33} = 4 \;, x_{32} = 3 \;, x_{22} = 6 \;, x_{21} = 2 \;, x_{11} = 5 \;. \\ \text{Total cost} &= 2 \times 14 + 7 \times 4 + 4 \times 3 + 3 \times 6 + 3 \times 2 + 2 \times 5 \\ &= 28 + 28 + 12 + 18 + 6 + 10 \\ &= 56 + 30 + 16 \end{aligned}$

= Rs.102.

By applying North west corner rule the allocations are obtained as follows

The initial basic feasible solution is given by

$$\begin{aligned} x_{11} &= 5 \ , \ x_{21} &= 2 \ , \ x_{22} &= 6 \ , \ x_{32} &= 3 \ , \ x_{33} &= 4 \ , \ x_{43} &= 14 \ . \end{aligned}$$

Total cost = 2 × 5 + 2 × 3 + 6 × 3 + 3 × 4 + 4 × 7 + 2 × 14
= Rs. 102 .

Commits : The South east corner rule process shows that the optimal solution is Rs. 102 and it is exact and North west corner rule gives the same result .

Problem 3.2 : Solve the transportation problem when the unit transportation costs , demands and supplies are as given below . **Solution**

By applying south east corner rule process allocations are obtained as follows :

Since the total demand $\sum b_j = 215$ is greater than the total supply $\sum a_i = 195$, the problem is an unbalanced TP.

We convert into a balanced TP by introducing a dummy origin O_4 with cost zero and giving supply equal to 215 - 195 = 20 units . Hence , we have the converted problem as follows : **Total cost matrix :**

The initial basic feasible solution is given by

 $x_{44}=20$, $x_{34}=25$, $x_{33}=45$, $x_{23}=5$, $x_{22}=35,\,x_{21}=15,\,x_{11}=70$.

Total cost = $0 \times 20 + 7 \times 25 + 4 \times 45 + 2 \times 5 + 5 \times 35 + 11 \times 15 + 6 \times 70 = \text{Rs.}1010$.

By applying north west corner rule process allocations are obtained as follows :

The initial basic feasible solution is given by

 $X_{11}\!=65$, $x_{12}\!=5$, $x_{22}\!=30$, $x_{23}\!=25$, $x_{33}\!=25,\,x_{34}\!=45,\,x_{41}\!=\!20$.

Total cost = $6 \times 65 + 5 \times 1 + 5 \times 30 + 2 \times 25 + 4 \times 25 + 7 \times 45 + 0 \times 20 = \text{Rs.1010}$.

Commits : The South east corner rule process shows that the optimal solution is Rs. 1010 and it is exact and North west corner rule gives the same result .

Comparison :

In this section we compare the relationship between the transportation problem like south west corner rule and north west corner rule , least cost method . The numerical examples are given below .

Problem 4.1 : Obtain initial basic feasible solution to the following transportation problem using south east corner rule and north west corner rule , least cost method , VAM .

Solution :

By applying North west corner rule the allocations are obtained as follows :

The IBFS is

 $x_{11}=200$, $x_{12}=50$, $x_{22}=175$, $x_{23}=125$, $x_{33}=150$, $x_{34}=250.$ Total cost = 11 \times 200 + 13 \times 50 + 18 \times 175 + 14 \times 125 + 13 \times 150 + 10 \times 250 = Rs, 12 , 200

By applying Least cost method the allocations are obtained as follows :

The IBFS is

 $\begin{array}{l} x_{11}=200 \;, \; x_{12}=50 \;, \; x_{22}=50 \;, \; x_{24}=250 \;, \; x_{32}=125 \;, \; x_{33}=215 \; . \\ Total\; cost=11 \; \times \; 200 \; + \; 13 \; \times \; 50 \; + \; 18 \; \times \; 50 \; + \; 10 \; \times \; 250 \; + \; 24 \; \times \\ 125 \; + \; 13 \; \times \; 215 \; = \; Rs.12, 825 \; . \end{array}$

By applying Vogels Approximation method the allocations are obtained as follows :

The IBFS (using north west corner rule) is

 $x_{11}=200$, $x_{12}=50$, $x_{22}=175$, $x_{24}=125$, $x_{33}=275$, $x_{34}=215.$ Total cost = 11 \times 200 + 13 \times 50 + 18 \times 175 + 10 \times 125 + 13 \times 275 + 10 \times 125 = 12.075

By applying South east corner rule the allocations are obtained as follows :

The IBFS is

 $x_{11}=200$, $x_{12}=50$, $x_{22}=175$, $x_{23}=125$, $x_{24}=250$, $x_{32}=125$, $x_{34}=125$, $x_{33}=150$.

 $\begin{array}{l} Total \ cost = 10 \ \times \ 125 \ + \ 13 \ \times \ 150 \ + \ 24 \times 125 \ + \ 14 \times 125 \ + \ 18 \\ \times \ 175 \ + \ 10 \ \times \ 250 \ + \ 11 \ \times \ 200 \ + \ 13 \ \times 50 \ . \end{array}$

$$= Rs.10,625$$

Commits : The South east corner rule processes shows that the optimal solution is Rs.10,625 whereas North west corner rule , least cost method and VAM gives the wrong results which are not optimal .

Solving transportation problem using JAVA language

In this section we solve the transportation problem (south east corner and north west rule) using JAVA language .The main ideas from design Java programs are save time , money and effort .

JAVA Program me :

In Problem 3.1, we use the java programs to minimize the cost of transportation and determine the number of units transported from source i to destination j.

The result are shown as follows :

The result of south east corner program by JAVA language is the cost of transportation = Rs. 102.

The number of units transported from source i to destination j

We transport
Supply [3] to demand [2] = 14
Supply [2] to demand [2] = 4
Supply $[2]$ to demand $[1] = 3$
Supply $[1]$ to demand $[1] = 6$
Supply $[1]$ to demand $[0] = 2$
Supply $[0]$ to demand $[0] = 5$
es any key to continue

Press any key to continue

The result of north west corner program by JAVA language is the cost of transportation = Rs. 102.

The number of units transported from source i to destination j We transport

Supply [0] to demand [0] = 5

Supply [1] to demand [0] = 2 Supply [1] to demand [1] = 6

Supply [2] to demand [1] = 3

Supply [2] to demand [2] = 4

Supply [3] to demand [2] = 14

R. Palaniyappa and V. Vinoba/ Elixir Appl. Math. 68 (2014) 22573-22577

Origin / Destination	D ₁	D ₂	D ₃	Supply
O ₁	2	7	4	5
O ₂	3	3	1	8
O ₃	5	4	7	7
Demand	7	9	18	34

Table 3.1								
Origin / Destination D_1 D_2 D_3 Supp								
O ₁	5							
	2	7	4	5				
O ₂	2	6						
	3	3	1	8				
O ₃		3	4					
	5	4	7	7				
-								
O_4			14					
	1	6	2	14				
Demand	7	9	18	34				

Origin / Destination	D ₁	D ₂	D ₃	Supply
O ₁	5			
	2	7	4	5
O ₂	2	6		
	3	3	1	8
O ₃		3	4	
	5	4	7	7
O_4			14	
	1	6	2	14
Demand	7	9	18	34

Origin / Destination	D ₁	D ₂	D ₃	D_4	Supply
O ₁	6	1	9	3	70
O ₂	11	5	2	8	55
O ₃	10	12	4	7	70
Demand	85	35	50	45	

Table 3.2							
Origin / Destination	D ₁	D ₂	D ₃	\mathbf{D}_4	Supply		
O_1	6	1	9	3	70		
O ₂	11	5	2	8	55		
O ₃	10	12	4	7	70		
O_4	0	0	0	0	20		
Demand	85	35	50	45	215		

Table 3.3							
Origin / Destination	D ₁	D ₂	D ₃	D_4	Supply		
O ₁	70				70		
	6	1	9	3			
O ₂	15	35	5		55		
	11	5	2	8			
O ₃			45	25	70		
	10	12	4	7			
O_4				20	20		
	0	0	0	0			
Demand	85	35	50	45	215		

70			
6	1	9	3
15	35	5	
11	5	2	8
		45	25
10	12	4	7
			20
0	0	0	0

65	5		
6	1	9	3
	30	25	
11	5	2	8
		25	45
10	12	4	7
20			
0	0	0	0
10 20 0	0	4	0

Origin	D	Ε	F	G	Available
А	11	13	17	14	250
В	16	18	14	10	300
С	21	24	13	10	400
Requirements	200	225	275	250	

Origin	D	Ε	F	G	Available
А	200	50	17	14	250
	11	13			
В	16	175	125	10	300
		18	14		
С	21	24	150	250	400
			13	10	
Requirements	200	225	275	250	

Origin	D	Е	F	G	Available
А	200	50	17	14	250
	11	13			
В		50		250	300
	16	18	14	10	
С		125	215		400
	21	24	13	10	
Requirements	200	225	275	250	

200	50	17	14
11	13		
16	175	14	125
	18		10
21	24	275	125
		13	10

200	50		
11	13	17	14
	175	125	250
16	18	14	10
	125	150	125
21	24	13	10

Conclusion:

Running the above JAVA programs , the result of the programs are equal to LP solution but the solution using JAVA language faster and easier then LP solution . There is scope for further development of these topics .

References

1. Abdallah.A ,Hlayel, Mohammad. A .Alia, Solving Transportation problems using the best candidate method ", Computer science & Engineering : An international journal (CSEIJ), Vol.2, No.5, October 2012.

2. Dantzig , G.B, " Linear programming and extensions " , Princeton , NJ : Princeton University Press 1963 .

3. Juman , Z.A.M.S.Hoque , M.A.,Buhari , M.I. " A study of transportation problem and use of object oriented programming ", 3rd conference on applied mathematics and pharmaceutical (ICAMPS '2013), April 29 - 30, 2013 singapore.

4. Mohammad KamrulHasan , "Direct methods for finding optimal solution of a transportation problem are not always reliable ", International journal of Engineering and Science (IRJES), Volume 1, Issue 2 (October 2012), pp 46-52.

5. Nabendusen et al , "A study of transportation problem for an essential item of southern part of north east region of India as an OR model and use of object oriented programming ", International journal of computer science and network security , 10 (4), pp 78 - 86, 2010.

6. Rao, S.S (1987) Optimization Theory and Applications. Wiley Eastern Limited.

7. Reeb , J.E. and S.A., Leavengood , " Transportation problem a special case for linear programming problems " , EM8779 , Corvallis : Oregon state university extension service , pp 1- 35 , 2002 .

8. Sen, N. and Som, T. (2008a) Mathematical Modeling of Transportation Related Fare Minimization Problem of South-

Assam and an Approach to Its Optimal Solution. IJTM, Vol. 32, nr. 3, pp. 201-208.

9. Sen, N. and Som, T. (2008c) Mathematical Modeling of Transportation Related Problem of Southern Assam with an Approach to Its Optimal Solution. ASR, Vol. 22, nr. 1, pp. 59-67.

10. Wilson, A.G; Coelho, J.D; Macgill, S.M and Williams, H.C.W.L (1981) Optimization in Locational and Transport Analysis. John Willey and Sons.

11. Hamdy A. Taha." Operations Research: An Introduction, "Prentice Hall, 7 editions 5, USA, 2006.

12. Prem Kumar Gupta, D.S. Hira. "Operations Research", An Introduction, S. Chand and Co., Ltd., New Delhi. 1999.