Osowole, O. I/ Elixir Statistics 63 (2013) 18292-18296

Awakening to reality Available online at www.elixirpublishers.com (Elixir International Journal)

Statistics

Elixir Statistics 63 (2013) 18292-18296



Modelling Crime Data in Nigeria Using the Katz Criterion

Osowole, O. I

Department of Statistics, University of Ibadan, Nigeria.

ARTICLE INFO

Article history: Received: 10 August 2013; Received in revised form: 29 September 2013; Accepted: 3 October 2013;

ABSTRACT

This study considered a method of selecting discrete distributions based on the Katz criterion in fitting an appropriate probability distribution function to available crime data in Nigeria after reasonable transformation. The criterion selected the Negative Binomial distribution for the data under consideration. The adopted distribution provided good fit as evidenced by the Anderson Darling goodness of fit test. This study has therefore applied the Katz criterion to real life data.

© 2013 Elixir All rights reserved

Keywords

Katz criterion, Negative binomial distribution, Good fit, Crime dataset.

Introduction

Crime is an economically significant human activity which is basically absolutely ignored by economists (Becker, I968). Nigeria is a growing economy that is certainly better privileged compared to some others. It has petrol and in addition the population of the country is around one hundred and sixty million women and men, which clearly implies that the needs of the people are more than what the revenue earned from the petrol sector, can possibly satisfy. Among the effects of a big and increasing population are minimal and dwindling per capita income, the growth of huge and clear variations in wealth and lifestyles (Marenin & Reisig, 1995).

The increase in urban criminal offenses rate in Nigeria is one among the leading social problems confronting the country recently. The worry over armed theft makes Nigerians sleepless during the night; they often live a day each time, with the worry as to whether they will probably see the light of the next day. They really are particularly scared of armed-robbers, paid assassinations, political thugs as well as other crooks who consider living to be insignificant (Ahmed, 2012). This remark is further corroborated by Bello (2011) who noted that 'a potential renter or buyer of house would always be concerned with the crime rate in a neighborhood before making her/his choice'. The plausible reason for this is that 'the Nigerian Police Force numerical strength is not commensurate with the total population – one policeman to 5000 Nigerians; unlike in developed countries with one Policeman to about 400 people' (Agbola, 1997). Other reasons for this unfortunate situation include 'inadequate manpower, equipment and professionalism' (Danbazau, 2007), 'corruption' (Compass Newspaper, 2012) and 'poor public perception of the Nigerian Police Force' (Okereke, 1993)

According to Ferreira et al (2012), statistics and facts are an essential resource in crime evaluation and the police force in Nigeria are beginning to utilize it in a far more efficient manner to reveal valuable information, minimize misdeed and optimize the utilization of scarce resources. They employed the use of statistical method of cluster analysis and spatial models with GIS. Nigerian authors who have used some statistical methods in analyzing crime data include Shangodoyin et al (2006), Fajemirokun et al (2006), Ahmed (2012), Omotor (2010), Gulumbe et al (2012) and Usman et al (2012). A filter through these past studies reveals that the fitting of discrete probability functions to crime datasets is still under explored. It is in the light of this, that this present study is being undertaken. Of particular interest is the application of the Katz (1963) criterion to the crime dataset under consideration.

Tele: E-mail addresses: dosowole@yahoo.com

^{© 2013} Elixir All rights reserved

The Katz Criterion

According to Ghahfarokhi et al (2010) 'One of the crucial questions in statistical analysis of count data is how to formulate an adequate probability model to describe observed variation of counts. The Poisson family of discrete distributions is used as a benchmark for statistical analysis of count data'. This is further supported by Douglas (1980) who noted that 'The Poisson distribution has been described as playing a similar role with respect to discrete distributions to that of the normal for absolutely continuous distributions. The Poisson distribution plays a vital role in distribution theory and is applied to many real life situations including industry, agriculture, ecology, accidents, telephony, medicine, insurance, commerce, geology, geography, birth processes, renewal processes, engineering, risk theory, demography, military, DNA breakage, reunion and sequence matching'. 'The Poisson distribution was discovered in 1837 by French mathematician and physicist, Simon Dennis Poisson (1781-1840)' (Sultan & Ahmad, 2012). Past studies of the following authors (Bortkiewicz (1898); Feller (1968); Parzen (1962); Taylor & Karlin (1984); Ripley (1981); Stoyan *et al* (1987); Sandland & Cormack (1984); and Ahmad (2007)) revealed different applications of the Poisson distribution.

Katz (1963) has recommended a category of discrete distributions, which generally takes the form:

$$\frac{P_{y+1}}{P_{y}} = \frac{\alpha + \beta y}{1+y}; \ y = 0, 1, 2, ...; \ y > 0; \ \beta < 1$$

This category of distributions includes Poisson, binomial and negative binomial distributions. He further derived the higher moments for this group of distributions, estimated their parameters and also applied them to example datasets. He went ahead again to suggest a criterion for identifying discrete distributions. The criterion is

$$\frac{\mu_2 - \mu_1'}{\mu_1'} = \frac{\beta}{(1 - \beta)}; \ \beta < 1$$

 μ'_1 , μ_2 are the mean and variance of Y while β is a constant. He pointed out that when (2) is zero, positive and negative respectively, we have the Poisson, negative binomial and binomial distributions in that order. The criterion in (2) will be used to properly identify which particular distribution in this family suits the data under consideration most.

Description of Data for Study

The dataset considered in this study was the crime data in Nigeria reported in Osowole et al (2013). The data consisted of offences against persons: manslaughter, murder and attempted murder, assault, rape, child stealing, grievous hurt and wounding; offences against property: armed robbery, house and store breakings, forgery, and theft/stealing; offences against lawful authority include: forgery of current notes, gambling, breach of public peace, bribery and corruption between 1994 and 2003. The authors attempted to fit an appropriate probability density function to these data from the Pearson system of distributions. The major difference between their work and this study is that they considered the crime data to be continuous while in this present study, the data are wholly discrete.

Results and Discussion of the Study

In order to achieve the objective of this study, that is the fitting of an appropriate probability distribution function to the data under study from the Katz (1963) family of discrete distributions, the disaggregated data on various crimes committed were initially aggregated and then transformed suitably. The estimates of the katz parameters obtained (Table 1) showed that

 $\beta > 0$ suggesting a negative binomial distribution as established in (2). As noted by Ghahfarokhi et al (2010) 'the Poisson distribution is used as a benchmark for statistical analysis of count data', the fitness of the Negative binomial is compared with that of the Poisson (Table 2) using the Anderson-Darling (A-D) goodness of fit test. The lower value of the A-D statistic in Table 2 corroborated the fact that the Negative binomial is superior to the Poisson distribution under this setting. This fact is further justified and established by the Cumulative distribution function graph of the Negative binomial (Figure 1) when compared to the Cumulative distribution.

Table 1: Estimates of Katz Parame
--

$\mu'_1 = me$	6.0269
r_1	
an	
$\mu_2^{= \text{vari}}$	12.824
ance	
	0.5302
β	>0
	⇒Neg
	ative
	Binomi
	al
	Distribu
	tion

Table 2: Anderson Darling (A-D) Goodness of Fit Result

Distribution	A-D		
	Statistic		
Negative	11.299		
Binomial			
Poisson	18.471		



Figure 1: Cumulative Distribution Function Graph for the Negative Binomial Distribution



Figure 2: Cumulative Distribution Function Graph for the Poisson Distribution

Table 3: Parameter	Estimates for	the Negative	Binomial	and Poisson	Distributions

Distribution	Parameter		
	Estimate		
Negative	n = 5, p=		
binomial	0.46961		
Poisson	$\lambda = 6.0269$		

Conclusion

The main objective of this study has been achieved. An appropriate probability distribution function has been obtained for the discrete crime data in Nigeria considered. The Negative binomial distribution has been shown to be adequate by the A-D goodness of fit test and this was supported by the graph of its cumulative distributive function. The Negative binomial distribution therefore can be used to model available crime data in Nigeria especially in future forecast of crime rates.

Acknowledgement

The author is grateful to the Economic Research Unit, Indian Statistical Institute, Kolkata under the headship of Prof. Manoranjal Pal for offering him a place under the Post Doctoral Study Platform. This paper was written while the author is still at the institute.

References

1. Agbola, T. (1997) 'The Architecture of Fear, Urban Design and Construction, Response to Urban Violence in Lagos, Nigeria', IFRA/African Book Builders

2. Ahmad, M. (2007) 'A Short Note on Conway-Maxwell-Hyper Poisson Distribution', *Pakistan Journal of Statistics'', 23, pp. 135-137*

3. Ahmed, Y. A.(2012) 'The Pattern and Distribution of Crime Incidence in an Urban Environment: A Case Study of Osun State, Southwestern Nigeria', *International Journal of Humanities and Social Science, Vol. 2 No. 5, 178-188*

4. Bello, Victoria A. (2011) 'The Impact of Urban Crime on Property Values in Akure, Nigeria', FIG Working Week: Bridging the Gap between Cultures, Marrakech, Morocco, May, 18-22.

5. Bortkiewicz, L. V. (1898). Das Gesetz der Kleinen Zahlen, Leipzig, Teubner.

6. Compass Newspaper (2012) 'http://www.compassnewspaper.org-News Paper 1st May, 2012', Assessed online 02-08-2013

7. Danbazau, A.B. (2007) 'Criminology Justice. 2nd Edition, Ibadan', Spectrum Books Limited

8. Douglas, J B. (1980) 'Analysts with Standard Contagious Distributions', International Co-operative Publishing House Fairland, Maryland

9. Fajemirokun, F., Adewale, O., Idowu, T., Oyewusi, A. and Maiyegun, B.(2006) 'A GIS Approach to Crime Mapping and Management in Nigeria: A Case Study of Victoria Island Lagos', Shaping the Change, XXIII FIG Congress, Munich, Germany, October 8 – 13. TS47 – GIS Applications – Special Issues

10. Feller, W. (1968) 'An Introduction to Probability Theory and Its Applications', Vol. 1, John Wiley and Sons, Third Edition

11. Ferreira, J, João, P and Martins, J.(2012) 'GIS for Crime Analysis - Geography for Predictive Models', *Electronic Journal Information Systems Evaluation 15(1):36-49*. Available online at www.ejise.com

12. Ghahfarokhi M. A. B., Ghahfarokhi, P. B. and Bahramian, R. (2010) 'Application of Katz Family of Distributions for Detecting and Testing Over-dispersion in Poisson Models', *Journal of Statistical Modelling and Analytics Vol. 1 No. 1, 29-44*

13. Goldstein, L. (1990) 'Poisson approximation and DNA sequence matching', Comm. Statist. Theory Methods, 19, 4167-4179

14. Gulumbe, S.U, Dikko, H.G., and Yusuf, B. (2012): 'Analysis of Crime Data Using Principal Component Analysis: A Case Study of Katsina State', *CBN Journal of Applied Statistics Vol. 3 No.2, 39-49*

15. Katz, L. (1963) 'Unified Treatment of a Broad Class of Discrete Probability Distributions', *Classical and Contagious Discrete Distributions, Vol.1, G. P. Patil, ed. Pergamon Press, New York, 175-182*

16. Marenin, O. and Reisig, M.D.(1995) 'A General Theory of Crime" and Patterns Of Crime in Nigeria: An Exploration of Methodological Assumptions', *Journal of Criminal Justice, Vol.23, No.6, pp. 501-518*

17. Okereke, O.G. (1993) 'Public Attitudes towards the Police Force in Nigeria', Police Studies, Vol. 16, No. 3, Fall, pp 113-121

18. Omotor, D.G. (2010) 'Demographic and Socio-Economic Determinants of Crimes in Nigeria: A Panel Data Analysis', *Journal of Applied Business and Economics*, 11(1):1-15

19. Osowole, O.I., Aghamie, S.O. and Anderson, N. (2013) 'On the Suitability of Probability Density Functions in Modelling Nigeria Crime Data: A Pearson System Approach', *Elixir Statistics*, *61*, *16808-16812*. Available online at www.elixirpublishers.com

20. Parzen, E. (1962) 'Stochastic Processes', Holden-Day, San Francisco

21. Ripley, B. D. (1981) 'Spatial Statistics', Wiley, New York

22. Sandland, R. L. and Cormack, R. M.(1984) 'Statistical inference for Poisson and Multinomial Models for Capture-Recapture Experiments', *Biometrika*, *71*, 27-33

23. Shangodoyin, D.K., Arnab, R., and Osowole, O.I. (2006) 'Gender Modelling of Serving time, Prison population and Review of Punishment in Oyo State, Nigeria', *J. Stud. Econometrics*, *30*(*3*):*35-42*

24. Shmueli, G., Minka, T. P., Kadane, J. B., Borle, S., and Boatwright, P. (2005) 'A Useful Distribution for fitting Discrete Data: Revival of the Conway–Maxwell–Poisson Distribution', *J. R. Statist. Soc. C* 54(1), 127–142

25. Stoyan, D., Kendall, W. S. and Mecke, J. (1987) 'Stochastic Geometry and Its Applications', Wiley, Chichester

26. Sultan, R and Ahmad, S. P. (2012) 'Posterior Estimates of Poisson Distribution using R Software', *Journal of Modern Applied Statistical Methods, Vol. 11, No. 2, 530-535*

27. Taylor H. M., and Karlin S.(1984) 'An introduction to stochastic modeling', Orlando: Academic Press 1984

28. Usman, U., Yakubu, M., and Bello, A.Z. (2012) 'An Investigation on the Rate of Crime in Sokoto State Using Principal Component Analysis', *Nigerian Journal of Basic and Applied Science*, 20(2):152-160. Available online at www.ajol.info/index.php/njbas/index